Case 1:12-cr-00064-VEC Document 71 Filed 07/19/21

UNITED STATES DISTRICT COURT
SOUTHERN DISTRICT OF NEW YORK

UNITED STATES OF AMERICA

The state of the state o

X

VALERIE CAPRONI, United States District Judge:

IT IS HEREBY ORDERED that a Violation of Supervised Release Hearing is scheduled for **August 12, 2021, at 11:00 a.m.**, in Courtroom 443, Thurgood Marshall U.S. Courthouse, 40 Foley Square, New York, NY 10007.

Defendant.

IT IS FURTHER ORDERED that per the SDNY COVID-19 COURTHOUSE ENTRY PROGRAM, any person who appears at any SDNY courthouse must complete a questionnaire and have his or her temperature taken. Please see the instructions, attached. Completing the questionnaire ahead of time will save time and effort upon entry. Only those individuals who meet the entry requirements established by the questionnaire will be permitted entry. Please contact chambers promptly if you or your client does not meet the requirements.

IT IS FURTHER ORDERED that interested members of the public may dial-in using (888) 363-4749 // Access code: 3121171# // Security code: 0064\#. All of those accessing the hearing are reminded that recording or rebroadcasting of the hearing is prohibited by law.

SO ORDERED.

Dated: July 19, 2021 New York, NY

> VALERIE CAPRONI United States District Judge

All members of the public, including attorneys, appearing at a Southern District of New York courthouse must complete a questionnaire and have their temperature taken before being allowed entry into that courthouse.

On the day you are due to arrive at the courthouse, click on the following weblink, or scan the following QR code with a mobile device camera to begin the enrollment process. Follow the instructions and fill out the questionnaire. If your answers meet the requirements for entry, you will be sent a QR code to be used at the SDNY entry device at the courthouse entrance.

https://app.certify.me/SDNYPublic



Note: If you do not have a mobile phone or mobile phone number, you must complete the questionnaire and temperature screening at an entry device at the courthouse.